



# DOORS & WINDOW SCHEDULE



## DOOR SCHEDULE

DOOR viewed externally	
DOOR NAME	D001
NUMBER REQUIRED	TOTAL 06
DOOR TYPE	1200 x 2125 mm Steel firerated door iron mongery by specialist to be approved
LOCKING SYSTEM	Magnetic lock with back up battery and z brackets and door closer.
GLAZING	30min firerated Georgian Glass
FRAME FINISH	steel frame
LOCATION	Fire Escape Route on Block A & D

## WINDOW SCHEDULE

WINDOW viewed externally	
WINDOW NAME	W001
NUMBER	TOTAL 06
WINDOW DESCRIPTION	1200 x 1300 mm Non-Openable Steel window green coated to Match Existing
GLAZING	30 min Georgian firerated Glass
FURNITURE	all window furniture to be suppliers spec or similar approved
FINISHES	Steel frame painted in green to Match Existing
LOCATION	Fire Escape Route Block A & D

FOR TENDER

Project	LEHAE LA SARS EMERGENCY STAIRCASE FIRE COMPLIANCE	Detailed SM	Project No. 181448	Rev. 0	 P.O.BOX 2682 NORTH RIDING 2162 Tel +27 (0)11 875 9907 Fax +27 (0)11 875 9906 Email info@esquareeng.com
Part	FIRE ESCAPE ROUTE	ARCHITECT TPD	Schedule No. 181448/2-001	Date	
		Checked HHS	Drg. Ref. 181448/3-001	17-04-18	